Neuroscience Letters, 177 (1994) 184–186
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abe, T., see Tohgi, H., 139
Abreu, P., see Hernández, G., 131
Agerberth, B., see Rimondini, R., 53
Alonso, R., see Hernández, G., 131
Amaducci, L., see Sorbi, S., 100
Angeletti, B., see Passarelli, F., 147
Arai, H., see Iwamoto, N., 23
Araki, T., see Chen, T., 159
Arilla, E., see López-Sañudo, S., 107

Beal, M.F., see Brouillet, E., 58
Bellingham, M.C. and Berger, A.J., Adenosine suppresses excitatory glutamatergic inputs to rat hypoglossal motoneurons in vitro, 143
Bello, A.R., see Hernández, G., 131
Benesch, H., see Ransmayr, G., 11
Berger, A.J., see Bellingham, M.C., 143
Bobillier, P., see Gazzah, N., 103
Bogdanov, M.B., see Bogdanov, N.N., 1
Bogdanov, N.N. and Bogdanov, M.B., The role of 5-HT_{1A} serotonin and D_2 dopamine receptors in buspirone effects on cortical electrical activity in rats, 1
Bracco, L., see Sorbi, S., 100
Brodkin, J.D., see Nash, J.F., 111
Brouillet, E., Henshaw, D.R., Schulz, J.B. and Beal, M.F., Aminooxyacetic acid striatal lesions attenuated by 1,3-butanediol and coenzyme Q_{10}, 58
Buckland, P.R., see Oretti, R.G., 39
Burden, H.W., see Jarrett, W.A., 47

Chen, T., Kato, H., Liu, X.-H., Araki, T., Itoyama, Y. and Kogure, K., Ischemic tolerance can be induced repeatedly in the gerbil hippocampal neurons, 159
Chrétien, M., see Marcinkiewicz, M., 91
Custodio-Ramírez, V., see Huitrón-Reséndiz, S., 119

D'Ambrosio, E., see Passarelli, F., 147
Daniel, M., see Malgouris, C., 95
De Natale, G., see Desole, M.S., 71
Desole, M.S., Miele, M., Esposito, G., Migheli, R., Fresu, L., Enrico, P., De Natale, G. and Miele, E., Monoaminergic systems activity and cellular defense mechanisms in the brainstem of young and aged rats subchronically exposed to manganese, 71
Ding, S.-L. and Elberger, A.J., Confirmation of the existence of transitory corpus callosum axons in area 17 of neonatal cat: an anterograde tracing study using biotinylated dextran amine, 66
Doble, A., see Malgouris, C., 95
Drzewiecki, G.J., see Zhang, Z., 162
Duron, B., see Macron, J.-M., 79

Elberger, A.J., see Ding, S.-L., 66
Enrico, P., see Desole, M.S., 71
Escalante-Membrillo, C., see Huitrón-Reséndiz, S., 119
Esposito, G., see Desole, M.S., 71

Fajardo, N., see Hernández, G., 131
Ferré, S., see Rimondini, R., 53
Forleo, P., see Sorbi, S., 100
Fresu, L., see Desole, M.S., 71
Fukahori, M., see Sekiya, K., 123
Funakoshi, A., see Sekiya, K., 123
Furukawa, S., see Matsui, K., 116
Fuxe, K., see Rimondini, R., 53

Gazzah, N., Gharib, A., Bobillier, P., Lagarde, M. and Sarda, N., Evidence for brain docosahexaenoate recycling in the free-moving adult rat: implications for measurement of phospholipid synthesis, 103
Gharib, A., see Gazzah, N., 103
Gobbini, I., see Sorbi, S., 100
González-Piña, R., see Huitrón-Reséndiz, S., 119
Gudelsky, G.A., see Nash, J.F., 111

Haji, M., see Sekiya, K., 123
Han, J.S., see Na, H.S., 50
Hashiguchi, K., see Tohgi, H., 139
Hayakawa, T., see Kumura, E., 165
Heinsen, H., see Ransmayr, G., 11
Henshaw, D.R., see Brouillet, E., 58
Hernández, A., see Hernández, G., 131
Hernández, G., Bello, A.R., López-Coviella, I., Abreu, P., Fajardo, N., Reiter, R.J., Hernández, A. and Alonso, R., Tyrosine hydroxylase activity in peripherally denervated rat pineal gland, 131
Hersh, L.B., see Ransmayr, G., 11
Hom, J.T., see Zhang, Z., 162
Hong, S.K., see Na, H.S., 50
Hori, K., see Yamamuro, Y., 83
Huitrón-Reséndiz, S., Custodio-Ramírez, V., Escalante-Membrillo, C., González-Piña, R. and Paz, C., Sleep alterations and brain regional changes of serotonin and its metabolite in rats exposed to ozone, 119
Hyslop, P.A., see Zhang, Z., 162

Itoyama, Y., see Chen, T., 159
Itzhak, Y. and Norenberg, M.D., Ammonia-induced upregulation of peripheral-type benzodiazepine receptors in cultured astrocytes labeled with [^{3}H]PK 11195, 35
Iwakiri, H., Takakusaki, K., Nonaka, S. and Mori, S., Extracellular levels of serotonin in the medial pontine reticular formation in acute decerebrate cats with a microdialysis technique, 19
Iwamoto, N., Nishiyama, E., Ohwada, J. and Arai, H., Demonstration of CRP immunoreactivity in brains of Alzheimer's disease: immunohistochemical study using formic acid pretreatment of tissue sections, 23
Iwano, H., see Yamamuro, Y., 83

Jarrett, W.A., Price, G.T., Lynn, V.J. and Burden, H.W., NADPH-diaphorase-positive neurons innervating the rat ovary, 47
Jeanjean, A.P., Maloteaux, J.-M. and Laduron, P.M., IL-1β-like Freund's adjuvant enhances axonal transport of opiate receptors in sensory neurons, 75
Johnston, H.M. and Morris, B.J., Selective regulation of dendritic MAP2 mRNA levels in hippocampal granule cells by nitric oxide, 5

Kashimoto, T., see Tachikawa, E., 155
Kato, H., see Chen, T., 159
Katsura, K.-i., see Li, P.-A., 63
Ko, K.H., see Na, H.S., 50
Kogure, K., see Chen, T., 159

Koishi, K., see McLennan, I.S., 151
Koistinaho, J. and Sagar, S.M., Localization of protein kinase C subspecies in the rabbit retina, 15
Koizumi, T., see Miyachi, Y., 32
Kondo, Y., see Tachikawa, E., 155
Koochekpour, S., see Merzak, A., 44
Kosaka, H., see Kumura, E., 165
Kumazawa, T., see Sato, J., 135
Kumura, E., Yoshimine, T., Tanaka, S., Hayakawa, T., Shiga, T. and Kosaka, H., Nitrosyl hemoglobin production during reperfusion after focal cerebral ischemia in rats, 165
Künig, G., see Ransmayr, G., 11
Kurose, S.-n., see Sekiya, K., 123

Laduron, P.M., see Jeanjean, A.P., 75
Lagarde, M., see Gazzah, N., 103
Latorraca, S., see Sorbi, S., 100
Li, P.-A., Shamloo, M., Smith, M.-L., Katsura, K.-i. and Siesjö, B.K., The influence of plasma glucose concentrations on ischemic brain damage is a threshold function, 63
Liu, X.-H., see Chen, T., 159
López-Coviella, I., see Hernández, G., 131
López-Sañudo, S. and Arilla, E., Changes in α_1-adrenergic neurotransmission alter the number of somatostatin receptors in the rat hippocampus, 107
Lynn, V.J., see Jarrett, W.A., 47

Macron, J.-M., Wallois, F. and Duron, B., Influence of vagal afferents in the sneeze reflex in cats, 79
Malgouris, C., Daniel, M. and Doble, A., Neuroprotective effects of riluzole on *N*-methyl-D-aspartate- or veratridine-induced neurotoxicity in rat hippocampal slices, 95
Maloteaux, J.-M., see Jeanjean, A.P., 75
Marcinkiewicz, M., Touraine, P. and Chrétien, M., Pan-neuronal mRNA expression of the secretory polypeptide 7B2, 91
Matsui, K., Furukawa, S., Suh, J.-G. and Wada, K., Developmental changes of nerve growth factor levels in the gracile axonal dystrophy mouse, 116
May, P.C., see Zhang, Z., 162
McGuffin, P., see Oretti, R.G., 39
McLennan, I.S. and Koishi, K., Transforming growth factor-beta-2 (TGF-β2) is associated with mature rat neuromuscular junctions, 151
Merzak, A., Koochekpour, S. and Pilkington, G.J., Cell surface gangliosides are involved in the control of human glioma cell invasion in vitro, 44
Metsis, M., see Timmusk, T., 27
Miele, E., see Desole, M.S., 71
Miele, M., see Desole, M.S., 71
Migheli, R., see Desole, M.S., 71
Miyachi, Y., Koizumi, T. and Yamada, T., Immediate arousal response and adaptation to low-dose x-rays in mouse and its disappearance by olfactory bulbectomy and nitric oxide inhibitor, 32
Mizuma, K., see Tachikawa, E., 155
Mori, S., see Iwakiri, H., 19
Morris, B.J., see Johnston, H.M., 5
Mutt, V., see Rimondini, R., 53

Na, H.S., Han, J.S., Ko, K.H. and Hong, S.K., A behavioral model for peripheral neuropathy produced in rat's tail by inferior caudal trunk injury, 50
Nacmias, B., see Sorbi, S., 100
Nash, J.F., Roth, B.L., Brodkin, J.D., Nichols, D.E. and Gudelsky, G.A., Effect of the R(−) and S(+) isomers of MDA and MDMA on phosphotidyl inositol turnover in cultured cells expressing 5-HT_{2A} or 5-HT_{2C} receptors, 111
Nawata, H., see Sekiya, K., 123
Neuman, T., see Suda, K., 87
Nichols, D.E., see Nash, J.F., 111
Nishiyama, E., see Iwamoto, N., 23
Nomura, M., see Yamamuro, Y., 83
Nonaka, S., see Iwakiri, H., 19
Norenberg, M.D., see Itzhak, Y., 35
Nornes, H.O., see Suda, K., 87
Nowakowski, C., see Ransmayr, G., 11

O'Connor, W.T., see Rimondini, R., 53
Ohashi, M., see Sekiya, K., 123
Ohwada, J., see Iwamoto, N., 23
Oretti, R.G., Spurlock, G., Buckland, P.R. and McGuffin, P., Lack of effect of antipsychotic and antidepressant drugs on glutamate receptor mRNA levels in rat brains, 39
Orrù, D., see Passarelli, F., 147
Orzi, F., see Passarelli, F., 147
Oyama, M., see Sekiya, K., 123

Passarelli, F., Angeletti, B., Orrù, D., Orzi, F. and D'Ambrosio, E., Effects of electroconvulsive shock on the levels of hsp70 and hsc73 mRNA in the rat brain, 147
Paz, C., see Huitrón-Reséndiz, S., 119
Persson, H., see Timmusk, T., 27
Piacentini, S., see Sorbi, S., 100
Piantadosi, C.A., see Zhang, J., 127
Pilkington, G.J., see Merzak, A., 44
Price, G.T., see Jarrett, W.A., 47

Ransmayr, G., Benesch, H., Nowakowski, C., Künig, G., Heinsen, H., Riederer, P. and Hersh, L.B., Neurofibrillary tangles without cell loss in the lateral vestibular nucleus of patients with Alzheimer's disease, 11
Reiter, R.J., see Hernández, G., 131
Riederer, P., see Ransmayr, G., 11
Rimondini, R., O'Connor, W.T., Ferré, S., Sillard, R., Agerberth, B., Mutt, V., Ungerstedt, U. and Fuxe, K., PEC-60 increases dopamine but not GABA release in the dorsolateral neostriatum of the halothane anaesthetized rat. An in vivo microdialysis study, 53
Roth, B.L., see Nash, J.F., 111

Sagar, S.M., see Koistinaho, J., 15
Saheki, M., see Tohgi, H., 139
Sarda, N., see Gazzah, N., 103
Sato, J., Suzuki, S., Tamura, R. and Kumazawa, T., Norepinephrine excitation of cutaneous nociceptors in adjuvant-induced inflamed rats does not depend on sympathetic neurons, 135
Schulz, J.B., see Brouillet, E., 58
Sekiya, K., Haji, M., Fukahori, M., Takayanagi, R., Ohashi, M., Kurose, S.-n., Oyama, M., Tateishi, K., Funakoshi, A. and Nawata, H., Pancreastatin-like immunoreactivity of cerebrospinal fluid in patients with Alzheimer type dementia: evidence of aberrant processing of pancreastatin in Alzheimer type dementia, 123
Shamloo, M., see Li, P.-A., 63
Shiga, T., see Kumura, E., 165
Siesjö, B.K., see Li, P.-A., 63
Sillard, R., see Rimondini, R., 53
Smith, M.-L., see Li, P.-A., 63

Sorbi, S., Nacmias, B., Forleo, P., Latorraca, S., Gobbini, I., Bracco, L., Piacentini, S. and Amaducci, L., ApoE allele frequencies in Italian sporadic and familial Alzheimer's disease, 100
Spurlock, G., see Oretti, R.G., 39
Suda, K., Nornes, H.O. and Neuman, T., Class A basic Helix-Loop-Helix transcription factors in early stages of chick neural tube development: evidence for functional redundancy, 87
Suh, J.-G., see Matsui, K., 116
Suzuki, S., see Sato, J., 135

Tachikawa, E., Takahashi, S., Mizuma, K., Kondo, Y., Kashimoto, T. and Takahashi, E., Effects of SK&F 96365, an inhibitor of receptor-mediated Ca^{2+} entry, on Ca^{2+} influx and catecholamine secretion in bovine adrenal chromaffin cells, 155
Takahashi, E., see Tachikawa, E., 155
Takahashi, S., see Tohgi, H., 139
Takahashi, S., see Tachikawa, E., 155
Takakusaki, K., see Iwakiri, H., 19
Takayanagi, R., see Sekiya, K., 123
Tamura, R., see Sato, J., 135
Tanaka, S., see Kumura, E., 165
Tateishi, K., see Sekiya, K., 123
Timmusk, T., Persson, H. and Metsis, M., Analysis of transcriptional initiation and translatability of brain-derived neurotrophic factor mRNAs in the rat brain, 27
Tohgi, H., Abe, T., Hashiguchi, K., Saheki, M. and Takahashi, S., Remarkable reduction in acetylcholine concentration in the cerebrospinal fluid from patients with Alzheimer type dementia, 139
Touraine, P., see Marcinkiewicz, M., 91

Ungerstedt, U., see Rimondini, R., 53

Wada, K., see Matsui, K., 116
Wallois, F., see Macron, J.-M., 79

Yamada, T., see Miyachi, Y., 32
Yamamuro, Y., Hori, K., Iwano, H. and Nomura, M., The relationship between learning performance and dopamine in the prefrontal cortex of the rat, 83
Yoshimine, T., see Kumura, E., 165

Zhang, J. and Piantadosi, C.A., Prolonged production of hydroxyl radical in rat hippocampus after brain ischemia-reperfusion is decreased by 21-aminosteroids, 127
Zhang, Z., Drzewiecki, G.J., Hom, J.T., May, P.C. and Hyslop, P.A., Human cortical neuronal (HCN) cell lines: a model for amyloid β neurotoxicity, 162

ANNOUNCEMENT

The 15th Biennial Meeting of the International Society for Neurochemistry will be held in Kyoto, Japan, July 2–7, 1995.

For information: '95 ISN/Secretariat
c/o JTB Communications, Inc.
New Kyoto Center Building
Shiokoji-Shinmachi
Shimogyo-ku, Kyoto 600
Japan
Tel: (81) 75-341-1618
Fax: (81) 75-341-1917